

Talk-A-Phone Co.

Model ETP-SM Surface Mount Accessory Architectural & Engineering Specification rev. 1/29/03

1 General Description

- 1.1 The unit shall be a highly vandal-resistant stainless steel emergency phone Surface Mount Accessory, model ETP-SM, no substitutions, suitable for mounting on an outdoor wall or poll. The Surface Mount shall house an ADA-compliant, line-powered communication device manufactured by Talk-A-Phone Co. Externally-powered devices are not acceptable.

2 Construction

- 2.1 The unit shall be constructed of stainless steel and weigh approximately 7 lbs.
- 2.2 The unit shall measure 10.50" W x 3.75" D x 12.75" H.
- 2.3 Unit shall be painted in Safety Yellow with "EMERGENCY" emblazoned on both sides in reflective black vinyl letters. Custom wording and colors shall be available.
- 2.4 Unit shall be designed such that any 400-Series flush mounting Emergency Phone shall mount flush with the surface of the Surface Mount Accessory.
- 2.5 Unit shall have 7/8" conduit entry holes on back and bottom (or optionally on top)

3 Electrical

- 3.1 The communication device shall require no external power. It shall be powered by the phone line, PBX extension, or a wireless communication interface.

4 Mounting

- 4.1 The Surface Mount shall have four 0.34" holes on the back wall for surface mounting on a wall or strapping to a poll.
- 4.2 Poll Mounting Kit, model ETP-PMKT, shall be available for strapping to a poll.

5 Options

5.1 Communications

- 5.1.1 Surface Mount shall accept any 400-Series flush mounting emergency phone.

- 5.1.2 Communication device shall accept fiber optic line instead of standard copper wire. 400-Series flush mounting emergency phone and fiber interface shall be required.
- 5.1.3 Cellular Interface shall be available when phone line is not available.
 - 5.1.3.1 Transmission shall be tri mode 800MHz TDMA/1900 MHz PCS/800 MHz AMPS, model ETP-CI.
 - 5.1.3.2 Transmission shall be 1900Mhz GSM, model ETP-CI/GSM.
- 5.1.4 Radio Frequency Interface, model ETP-WTR/1, shall be available when phone lines are not available. Radio Frequency Interface functions as part of a complete proprietary radio frequency system.

6 Warranty

- 6.1 Equipment shall be warrantied against any defects in material and workmanship, under normal use, for a period of one year from date of installation. In the event system is found by manufacturer to be defective within the warranty period, manufacturer shall repair and/or replace any defective parts, provided the equipment is returned to manufacturer.

7 Manufacturer

- 7.1 The Manufacturer shall be Talk-A-Phone Co. (773) 539-1100, 5013 N. Kedzie, Chicago, Illinois 60625, www.talkaphone.com. THERE ARE NO EQUIVALENTS.