

Talk-A-Phone Co.

Model MS-400 Flush Mounting Sleeve

Architectural & Engineering Specification rev. 1/29/03

1 General Description

- 1.1 The unit shall be a durable emergency phone flush mounting sleeve, model MS-400, no substitutions, designed to house a 400 Series flush mounting Emergency Phone. The mounting sleeve shall house an ADA-compliant, line-powered communication device manufactured by Talk-A-Phone Co. Externally-powered devices are not acceptable.

2 Construction

- 2.1 The unit shall be constructed of cold rolled steel and weigh approximately 4 lbs.
- 2.2 The unit shall measure 8.63" W x 11.25" H x 3" D.
- 2.3 Unit shall include a 7/8" conduit hole on back and bottom and 1-1/8" conduit punch-out on back.

3 Electrical

- 3.1 The communication device shall require no external power. It shall be powered by the phone line, PBX extension, or a wireless communication interface.

4 Mounting

- 4.1 Unit shall mount into wall to allow mounting of 400 Series flush mounting Emergency Phones.
- 4.2 For ADA compliance, unit shall be mounted at a maximum top height of 49.75".

5 Warranty

- 5.1 Equipment shall be warrantied against any defects in material and workmanship, under normal use, for a period of one year from date of installation. In the event system is found by manufacturer to be defective within the warranty period, manufacturer shall repair and/or replace any defective parts, provided the equipment is returned to manufacturer.

6 Manufacturer

- 6.1 The Manufacturer shall be Talk-A-Phone Co. (773) 539-1100, 5013 N. Kedzie, Chicago, Illinois 60625, www.talkaphone.com. THERE ARE NO EQUIVALENTS.